

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: WhiskPower 240  
Manufacturer: Whisk Products, Inc  
130 Enterprise Drive Wentzville, MO 63385  
Telephone Number: (636) 327-6261

**2. HAZARDOUS COMPONENTS**

Component	CAS #	OSHA PEL	ACGIH TLV
Paraffinic Hydrocarbons	64742-47-8	NE	NE

**3. HAZARD IDENTIFICATION**

## Potential Health Effects

## Eye contact

Moderately irritating to eyes.

## Skin Contact

Prolonged contact may irritate the skin. Contact may aggravate preexisting skin conditions.

## Inhalation

High vapor concentrations will irritate the respiratory tract. Prolonged vapor exposure can cause headaches, dizziness, anesthesia, and in extreme cases, unconsciousness or even death.

## Ingestion

This product has minimal toxicity.

**4. FIRST AID MEASURES**

Eyes Do not rub eyes. Flush with water for fifteen minutes; if burning persists, see a physician.  
Skin Wash with a mild soap and water. If irritation continues, seek medical attention.  
Inhalation Remove to fresh air; apply artificial respiration if necessary.  
Ingestion Administer two glasses of milk or water. Do not induce vomiting. Get medical attention.

**5. FIRE-FIGHTING MEASURES**

Flash point: >180°F typical

Flammable Limits: (volume percent in air) LEL: Not established UEL: Not established

Autoignition Temperature: Not established

## General Hazard

Combustible materials can form combustible mixtures at temperatures at or above the flash point. Empty containers can contain residues that can cause fires or explosions when exposed to heat, flames, or sparks.

**Fire-Fighting**

Keep fire exposed containers cool with water spray. Separate unburning product from fire. Use carbon dioxide, foam, or dry chemical extinguishing media to put out fires.

Unusual Decomposition Products Under Fire Conditions: None

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Wash thoroughly after contact. Launder contaminated clothing before reuse.

**Environmental Precautions**

Dike large spills to prevent ingress into sewers.

Clean spills with absorbent and store in marked containers for disposal.

Dispose in accordance with all applicable regulations.

Flush area with water to remove slippery floor hazard.

**7. HANDLING AND STORAGE****Safe Handling and Storage**

Keep containers inside and out of direct sunlight.

Avoid storage temperatures above 100°F and below 40°F.

Do not reuse containers.

**Incompatible Products**

Avoid strong oxidizing and reducing agents.

**8. EXPOSURE CONTROL AND PERSONAL PROTECTION**

Ventilation – Not necessary when used as directed.

Respiratory Equipment: Not required.

Protective Gloves: Not Required. This product is designed to be used on skin.

See Hazardous Components section for specific chemical exposure limits.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point:	>200°F
Specific Gravity (water =1):	>1.0
Vapor pressure (mm Hg):	1
Melting Point:	Not Applicable
Vapor Density (Air =1):	>5
Evaporation Rate (butyl Acetate=1):	<0.1
Solubility in water:	Rinsable
Reactivity in water:	NIL
Appearance and Odor:	Red gel with a pleasant odor

**10. STABILITY AND REACTIVITY**

Stability: [ ] Unstable [ X ] Stable

Conditions to avoid: None

Incompatibility (Materials to avoid): Strong oxidizing and reducing agents.

Hazardous Decomposition Products: Combustion may produce oxides of carbon.

Hazardous Polymerization: [ ] May Occur [ X ] Will Not Occur

Conditions to Avoid: Not Applicable

**11. TOXICOLOGICAL INFORMATION**

Please refer to section 3 for information on potential health effects.

**12. ECOLOGICAL INFORMATION**

Please refer to section 6 for accidental release information and section 15 for reporting information.

**13. DISPOSAL CONSIDERATIONS**

Please refer to sections 5, 6, and 15.

**14. TRANSPORT INFORMATION**

For containers of 119 gallons or less the DOT does not regulate this product for ground shipments.

This product is provided in packaging that does not meet air specifications.

**15. REGULATORY INFORMATION****TSCA**

The components of this product are listed on the TSCA Inventory.

**CERCLA**

If this product is spilled it does not require reporting under CERCLA.

**SARA Title III**

SARA Title III does not apply to this cosmetic product.

**16. OTHER INFORMATION**

This product has the following rating under the Hazardous Materials Identification System.

Health	1	Key
Flammability	2	4 = Severe
Reactivity	0	3 = Serious
		2 = Moderate
		1 = Slight
		0 = Minimal