

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: WhiskPower 250
Manufacturer: Whisk Products, Inc
130 Enterprise Drive Wentzville, MO 63385
Telephone Number: (636) 327-6261

2. HAZARDOUS COMPONENTS

Component	CAS #	OSHA PEL	ACGIH TLV
Alkanolamide	120-40-1	NE	NE
Alkanolamine	102-71-6	5mg/M ³	5mg/M ³
Pumice	1332-09-8	0.1mg/M ³ (dust)	0.1mg/M ³ (dust)

3. HAZARD IDENTIFICATION

Potential Health Effects

Eye contact

Moderately irritating to eyes.

Skin Contact

This product is designed to be used on skin, but prolonged exposure may cause skin dryness.

Inhalation

Not expected.

Ingestion

This product has minimal toxicity.

4. FIRST AID MEASURES

Eyes Do not rub eyes. Flush with water for fifteen minutes; if burning persists, see a physician.

Skin In the case of chapped hands, apply a skin moisturizer.

Ingestion Administer two glasses of milk or water. Do not induce vomiting. Get medical attention.

5. FIRE-FIGHTING MEASURES

Flash point: None. This product is water based.

Flammable Limits: (volume percent in air) LEL: Not applicable UEL: Not applicable

Autoignition Temperature: Not determined

Fire-Fighting

Keep fire exposed containers cool with water spray. Separate unburning product from fire. Use carbon dioxide, foam, or dry chemical extinguishing medias to put out fires.

Unusual Decomposition Products Under Fire Conditions

None

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions**

Rinse thoroughly after contact. Launder contaminated clothing before reuse.

Environmental Precautions

Dike large spills to prevent ingress into sewers.

Clean spills with absorbent and store in marked containers for disposal.

Dispose in accordance with all applicable regulations.

Flush area with water to remove slippery floor hazard.

7. HANDLING AND STORAGE**Safe Handling and Storage**

Keep containers inside and out of direct sunlight.

Avoid storage temperatures above 100°F and below 40°F.

Do not reuse containers.

Incompatible Products

Avoid strong oxidizing and reducing agents.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Ventilation – Not necessary when used as directed.

Respiratory Equipment: Not required.

Protective Gloves: Not Required. This product is designed to be used on skin.

See Hazardous Components section for specific chemical exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: >200°F

Specific Gravity (water =1): 1.0

Vapor pressure (mm Hg): <1

Melting Point: Not Applicable

Vapor Density (Air =1): >5

Evaporation Rate (butyl Acetate=1): <0.1

Solubility in water: Complete

Reactivity in water: NIL

Appearance and Odor: Green liquid with pleasant odor

10. STABILITY AND REACTIVITY

Stability: [] Unstable [X] Stable

Conditions to avoid: None

Incompatibility (Materials to avoid): Strong oxidizing and reducing agents.

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon and nitrogen.

Hazardous Polymerization: [] May Occur [X] Will Not Occur

Conditions to Avoid: Not Applicable.

11. TOXICOLOGICAL INFORMATION

This product is believed to have a low toxicity and should not pose a hazard to health when used correctly in industry.

12. ECOLOGICAL INFORMATION

Please refer to section 6 for accidental release information and section 15 for reporting information.

13. DISPOSAL CONSIDERATIONS

Waste product can be disposed of by wastewater treatment or in an approved landfill according to all applicable regulations. Containers should be washed and sent to a plastic recycler.

14. TRANSPORT INFORMATION

This product is considered non-hazardous to transport.

Transportation name: Cleaning Compound

15. REGULATORY INFORMATION

TSCA

The components of this product are listed on the TSCA Inventory.

CERCLA

If this product is spilled it does not require reporting under CERCLA.

SARA Title III

SARA Title III does not apply to this cosmetic product.

16. OTHER INFORMATION

This product has the following rating under the Hazardous Materials Identification System.

Health	1	Key
Flammability	0	4 = Severe
Reactivity	0	3 = Serious
		2 = Moderate
		1 = Slight
		0 = Minimal